# PageSpeed Insights

Mobile

75 / 100 Speed

⚠ Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- https://threatcrowd.org/js/styles.css

- https://threatcrowd.org/css/bootstrap.min.css

- https://threatcrowd.org/css/custom.css

Mobile

🟧 Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://threatcrowd.org/css/bootstrap.min.css (24 hours)

- https://threatcrowd.org/css/custom.css (24 hours)

- https://threatcrowd.org/img/AV-Corporate-Logo.svg (24 hours)

- https://threatcrowd.org/img/OTXLogoinBG.png (24 hours)

- https://threatcrowd.org/img/home.png (24 hours)

- https://threatcrowd.org/js/styles.css (24 hours)

- https://threatcrowd.org/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js (2 days)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 121B (13% reduction).

- Minifying https://threatcrowd.org/css/custom.css could save 121B (13% reduction) after compression.

Optimize images

Mobile

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 30.9KiB (45% reduction).

- Compressing https://threatcrowd.org/img/OTXLogoinBG.png could save 30.9KiB (45% reduction).

✅ 6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

Mobile

You have the above-the-fold content properly prioritized. Learn more about *prioritizing visible content*.

75 / 100   User Experience

🔳 Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

Configure a viewport for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. *Use legible font sizes* to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- API / MALTEGO and 2 others render only 5 pixels tall (14 CSS pixels) final.

- Search by Doma…r Organization and 5 others render only 8 pixels tall (20 CSS pixels) final.

- 188.40.75.132 and 4 others render only 8 pixels tall (20 CSS pixels) final.

- ThreatCrowd is now powered by and 2 others render only 6 pixels tall (16 CSS pixels) final.

- AlienVault's O…Exchange (OTX) and 1 others render only 6 pixels tall (16 CSS pixels) final.

- ® renders only 5 pixels tall (12 CSS pixels) final.

- ALIENVAULT SOLUTIONS and 8 others render only 4 pixels tall (11 CSS pixels) final.

- LEARN MORE > renders only 5 pixels tall (14 CSS pixels) final.

Mobile

- © COPYRIGHT 20…NVAULT, INC. | and 3 others render only 4 pixels tall (11 CSS pixels) final.

❗ Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target tibet is close to 1 other tap targets final.

- The tap target AlienVault® is close to 1 other tap targets final.

- The tap target AlienVault® is close to 1 other tap targets final.

- The tap target Open Threat Exchange is close to 1 other tap targets final.

- The tap target Learn More > is close to 1 other tap targets final.

✅ 2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

Size content to viewport

Mobile

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Desktop

88 / 100 Speed

⚠ Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://threatcrowd.org/css/bootstrap.min.css (24 hours)

- https://threatcrowd.org/css/custom.css (24 hours)

- https://threatcrowd.org/img/AV-Corporate-Logo.svg (24 hours)

- https://threatcrowd.org/img/OTXLogoinBG.png (24 hours)

- https://threatcrowd.org/img/home.png (24 hours)

- https://threatcrowd.org/js/styles.css (24 hours)

- https://threatcrowd.org/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js (2 days)

Desktop

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 121B (13% reduction).

- Minifying https://threatcrowd.org/css/custom.css could save 121B (13% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Optimize CSS Delivery of the following:

- https://threatcrowd.org/js/styles.css

- https://threatcrowd.org/css/bootstrap.min.css

- https://threatcrowd.org/css/custom.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 30.9KiB (45% reduction).

- Compressing https://threatcrowd.org/img/OTXLogoinBG.png could save 30.9KiB (45% reduction).

Desktop

✅ 6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).